



Universal-Effects

Manufacturer of special effects

HEALTH & SAFETY PRODUCT DATA SHEET

Range of Products:

Bubble Fluid

1 – IDENTIFICATION OF SUBSTANCE / PREPARATION & COMPANY

1.1 Identification of substance :

Name of the product : XT BUBBLE FLUID

Synonyms : XT BUBBLE FLUID RTU
XT BUBBLE FLUID CC
XT BUBBLE FLUID RTU – UV ACTIV
XT BUBBLE FLUID CC – UV ACTIV

Using : Fluid used for creating artificial water bubble which are used in application such as shows or professional entertainments.

1.2 Identification of the manufacturing company :

S.a.r.l UNIVERSAL EFFECTS
87 Route de Montcenis
F-71200 LE CREUSOT
FRANCE

Tel. +33 (0)385.730.747
Fax +33 (0)385.730.746
Website : www.universal-effects.com
Email : infos@universal-effects.com

2 – COMPOSITION / COMPONENTS INFORMATION

- 2.1 Components or impurities : none
2.2 Chemical nomenclature : Ethoxylated Tridecyl Alcohol, Natural Glycerin and water.

3 – DANGERS IDENTIFICATIONS

- 3.1 Avoid eye's contact.

4 – FIRST AID MEASURES

- 4.1 Skin contact : Rinse the skin with water.
4.2 Eye contact : Irrigate thoroughly with water ten minutes at least.
4.3 Ingestion : Drink water and call a doctor if necessary

5 – FIRE FIGHTING MEASURES

- 5.1 Extinction ways : None
5.2 Fire or explosion dangers : None
5.3 Appropriated measures against fire : None
5.4 Other recommendations

6 – ACCIDENTAL RELEASE MEASURES

- 6.1 Do not spread any product outside to protect the environment..

7 – HANDLING & STORAGE

- 7.1 Keep the products closed in their container only.
7.2 Storing temperatures : from +5°C to +50°C.

8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

- 8.1 Individual preventing measures : Warning advices – avoid eye's contact.
8.2 Special preventing measures : None.

9 – PHYSICAL & CHEMICAL PROPERTIES

- 9.1 Texture : Liquid to 20°C
- 9.2 Temperatures : Boiling starting point 95°C. Solidification : 0°C.
- 9.3 Water solubility : Completely miscible
- 9.4 pH : 7.1
- 9.5 Vapour pressure
- 9.5 Volumetric capacity : 1000 to 20°C
- 9.7 Flashing point : > 99°C
- 9.8 Self ignition temperature : None
- 9.7 Other data : Viscosity to 20°C : 10mPa.s

10 – STABILITY AND REACTIVITY

- 10.1 Packaging : plastic containers.
- 10.2 Dangerous reactions : None
- 10.3 Dangerous decomposition product : None

11 – TOXICOLOGICAL INFORMATION

- 11.1 toxicological information : Mouse DL50 > 2500mg / kg

12 – ECOLOGICAL INFORMATION

- 12.1 DCO 690mg/g :
- 12.2 DBO5 : 198mg/g:

13 – ELIMINATION CONSIDERATION

NONE

14 – TRANSPORT INFORMATION AND CONDITIONS

RDMD	RID/ADR	IMDG Seafreight	OACI airfreight
Danger codes	do not apply		